



*No matter  
the pest,*

**Bayer has the solution**

 **Treatment Guide**

No matter the pest,

Bayer has the solution



### Ants

#### Recommended treatment:

// Where possible, locate the nest and spray insecticide directly into nest entrances

// When nest cannot be located, apply insecticide/bait to all ant trails and areas where ants are foraging, eg underneath materials

// Treat the outside structure; walls, around doors, windows and other areas where ants may be located

// Treat the soil, turf or other ground covering to the structure (in a band up to 3 metres wide) where ants are seen, have been found, or can find shelter

**Recommended products:** *Temprid<sup>75</sup>* or *Suspend Flexx*  
*Maxforce Quantum*

### Bed bugs

#### Recommended treatment:

// Apply insecticide to the bed frame and walls, crack and crevices and skirting boards in the vicinity of the bed

// Do not treat the flat surfaces of the bed on which people sleep. However, apply insecticide to the edges and seams of the mattress (always follow label directions for these applications)

// All treatments and recommendations carried out in accordance with AEPMA Bed Bug Code of Practice

**Recommended product:** *Temprid<sup>75</sup>* or *Suspend Flexx*



### Bird mites

#### Recommended treatment:

// Treat infested areas

// For treatment of roof void areas, a suitably registered dust product such as Coopex Insecticidal Dusting Powder is recommended

// Cover roof void, including areas where bird nests are evident. Remove nests and bird-proof voids to prevent recurrence

// Treatment of infested areas with Suspend Flexx is also an option

**Recommended product:**  
*Coopex Insecticidal Dusting Powder* or *Suspend Flexx*

### Carpet beetles

#### Recommended treatment:

// Test a small, inconspicuous area of carpet and allow to dry first to ensure that application volumes are appropriate and that staining will not occur

// Spray insecticide onto infested carpets particularly in areas of little or no traffic and underneath windows where adult beetles may be entering the building

// Allow treated carpets to dry before resuming activity on them

**Recommended products:** *Temprid<sup>75</sup>* or *Suspend Flexx*



### Clothes moths

#### Recommended treatment:

// Spray surfaces in areas where clothes are stored

// DO NOT spray the clothes themselves

// Application to porous surfaces or through use of power equipment refer to product label for application rates

**Recommended products:** *Temprid<sup>75</sup>* or *Suspend Flexx*

### Cockroaches

#### Recommended treatment:

// Conduct a thorough inspection and apply insecticide to known and potential cockroach harbourages

// A barrier application around areas where cockroach infestations may be originating is also suggested

// Where application of a spray insecticide is not suitable, it is recommended to use a registered gel such as Maxforce Gold Cockroach Gel or Maxforce Fusion Cockroach Gel. Apply as per the registered label of those products

// Reassessment of treated areas one month after initial baiting is recommended to evaluate if additional baiting is required. Bait placements should be replenished when consumed or at least every three months as long as pest populations persist

#### Recommended product:

**Insecticides –** *Temprid<sup>75</sup>*, *Suspend Flexx*, *Crackdown*, *Starycide*  
**Baits –** *Maxforce Activ*, *Maxforce Fusion*, *Maxforce Gold*



### Fleas

#### Recommended treatment:

// For indoor areas, clean and vacuum infested areas and dispose of dust collected in the garbage in a sealed plastic bag. Lightly spray infested areas concentrating on areas under furniture etc

// For outdoor areas, apply to outside surfaces of buildings and surrounds including but not limited to foundations, soil, turf, pet-housing and other areas where fleas may be present

// For dry and hydrophobic soils, pre-wetting the soil with water and/or the addition of a soil wetting agent is recommended.

// Treat pets with a suitably registered flea control product

// Application to carpets: It is highly recommended that a small, inconspicuous area of carpet be sprayed and allowed to dry first to ensure that application volumes are appropriate and that staining will not occur. Carpets are considered porous surfaces, however excessive liquid application may produce water stains and therefore the non-porous surface rate should be adopted if possible. Apply product in accordance with the product label. Allow treated carpets to dry before resuming activity on them

#### Recommended products:

*Temprid<sup>75</sup>* with *Starycide* or *Suspend Flexx* with *Starycide*







## Flies

### Recommended treatment:

// Spray surfaces where flies are known to come to rest

// Include external surfaces that are exposed to the morning sun

// An application of insecticide should always be part of a comprehensive fly control program that focuses on fly resting and breeding sites

**Note:** The perception of the level of control of flying insects achieved within any given area treated with a residual surface spray will be affected by the extent of in-migration of individuals from external (untreated) areas. A residual surface spray will only control those insects that alight on the treated surfaces and therefore complete elimination of flying insects from the treated area should not necessarily always be expected.

// Aqua K-Othrine can be used as a space spray to control adult insects

**Recommended products:** *Suspend Flexx* or *Aqua-K Othrine*

## Millipedes

### Recommended treatment:

// Spray paths to a height of 1m on walls around buildings to prevent invasion

// Apply insecticide as a coarse spray to infested areas

// Temprid<sup>75</sup> is recommended for use on non-porous surfaces only

// Ficam W should be used at the higher rate for longer residual control or when heavy infestations occur or when conditions are unhygienic.

**Recommended products:** *Temprid<sup>75</sup>* or *Ficam W*



## Mosquitoes

### Recommended treatment:

// Spray surfaces where mosquitoes are known to come to rest

// Spray walls, awnings, fences and vegetated areas in proximity to buildings

**Note:** The perception of the level of control of flying insects achieved within any given area treated with a residual surface spray will be affected by the extent of in-migration of individuals from external (untreated) areas. A residual surface spray will only control those insects that alight on the treated surfaces and therefore complete elimination of flying insects from the treated area should not necessarily always be expected.

### Recommended products:

*Aqua-K Othrine* or *Suspend Flexx with Starycide*

## Silverfish

### Recommended treatment:

// Direct spray to areas of potential infestation e.g. under skirting boards and furniture where dark conditions may favour silverfish populations

// If spraying inside cupboards or storage areas remove clothing and utensils etc. before spraying

// The use of an Insect Growth Regulator (such as Starycide Insect Growth Regulator) is recommended

**Recommended Products:** *Temprid<sup>75</sup>* with *Starycide* or *Suspend Flexx* with *Starycide*



## Spiders

### Recommended treatment:

// **Non-webbing:** Spray areas where spiders are known to occur

// **Web-spinning:** Spray spiders, their webbing and areas where spiders may hide directly. It is recommended that webbing is left in place for a few days after application to optimise efficacy

**Recommended products:** *Temprid<sup>75</sup>* or *Suspend Flexx*



## Stored product pests

### Recommended treatment:

// The use of an insecticide in the control of stored product pests should be considered part of an integrated strategy to prevent development of insect populations

// Best results will be obtained where good hygiene is maintained

// Infested areas should be cleaned prior to application and regularly cleaned thereafter to reduce food sources for pests

// When treating for beetles, pay special attention to sheltered areas such as cracks and crevices, under furniture and equipment, floors, walls and shelves

// Adult moths can be controlled by applying this product to walls and surfaces where the flying adult moths come to rest

// Ensure food items in store are not exposed to spray. If necessary, remove food items from the area to be treated. Allow all treated surfaces to dry before replacing food items

// Where possible avoid spraying actual surfaces which food is likely to directly contact. DO NOT allow spray to contact food packaging material. Discard any foodstuff accidentally contaminated with spray solution

**Recommended Products:** *Aqua K-Othrine* or *Suspend Flexx* or *Temprid<sup>75</sup>*



## Ticks

### Recommended treatment:

// Apply to outside surfaces of buildings and surrounds including but not limited to foundations, soil, turf, trunks of woody ornamentals and other areas where ticks congregate or have been seen

// Treatment is intended to control ticks which are present at the time of application

// Treatment may need to be repeated during times of high tick activity

// When used in domestic garden situations where domestic pets are present, it is recommended that the animals are also treated with an appropriately registered ectoparasiticide

**Recommended product:** *Suspend Flexx*

## Wasps

### Recommended treatment:

// Apply product to the paper nest ensuring thorough and even coverage

// When all adult wasps have been knocked down the nest may be safely removed from the structure

### Recommended products:

*Suspend Flexx* or *Coopex Insecticidal Dusting Powder*



# Trust

the Bayer brand

For further information about Bayer pest and termite solutions visit [www.es.bayer.com.au](http://www.es.bayer.com.au)

---

## // Aqua-K-Othrine®

Aqua-K-Othrine kills mosquitoes, flies; cockroaches; spiders and stored product pests. Aqua-K-Othrine contains synthetic pyrethroid (2% deltamethrin) in a unique EW formulation. Primarily based on water with built-in FFAST anti-evaporant technology.

**Active Ingredients:** 20g/L Deltamethrin, 250g/L Hydrocarbon Liquid

**Pack Size:** 1L

---

## // Coopex® Insecticidal Dusting Powder

Coopex Insecticidal Dusting Powder is a ready-to-use broad spectrum insecticidal with a unique formulation. It controls a wide range of insect pests in a wide range of situations including cockroaches, silverfish, ants, fleas, carpet beetles, bedbugs, spiders, bird mites, hide beetles, European wasps, Potato moth and subterranean termites in trees and stumps.

**Active Ingredient:** 10g/kg Permethrin 25:75

**Pack Size:** 10kg

---

## // Coopex® Residual Insecticide

Coopex Residual Insecticide is a wettable powder that creates a residual surface spray, for the control of general insect pests. Controls a wide range of insect pests both indoors and outside. Sustained residual activity providing up to 4 month's protection.

**Active Ingredient:** 250g/kg Permethrin 25:75

**Pack Size:** 20 x 25g

---

## // Crackdown®

Crackdown suspension concentrate contains a residual contact pyrethroid for the control of flies, mosquitoes, cockroaches, bedbugs and ants in domestic and industrial premises and for the control of beetles in freshly cut logs and timber.

**Active Ingredients:** 10g/L Deltamethrin, 10g/L D-Tetramethrin, 80g/L Piperonyl Butoxide

**Pack Size:** 3L

---

## // Ficom® W

Ficom W Insecticide is a residual broad spectrum spray for control of a wide range of insect pests in domestic, industrial, commercial and public service buildings.

**Active Ingredient:** 800g/kg Bendiocarb

**Pack Size:** 150g

---

## // Maxforce® Activ

Maxforce Activ is the latest gel in the line of 'new generation' cockroach control products by Bayer. Bayer has created this product from the ground up. Trials show that gel placements remain palatable for at least 12 months. Incorporating the patented blue bead feeding stimulant technology to ensure Total Life Cycle control (TLC). Maxforce Activ is recommended for maintenance jobs.

**Active Ingredient:** 10g/kg Clothianidin

**Pack Size:** 3 x 30g with plunger

---

## // Maxforce® Fusion

Maxforce Fusion is the next generation gel against cockroaches large and small. Maxforce Fusion will kill cockroaches including nymphs, for Total Life Cycle control (TLC).

**Active Ingredient:** 21.5g/kg Imidacloprid

**Pack Size:** 30g

---

## // Maxforce® Gold

Maxforce Gold is from the first generation of gels where our formulation scientists and biologists tailor-made a bait matrix specifically to cater for a balanced range of cockroach dietary preferences. Maxforce Gold is recommended for clean-out jobs.

**Active Ingredient:** 0.3g/kg Fipronil

**Pack Size:** 35g

---

## // Maxforce® Quantum

Maxforce Quantum is a viscous liquid ant bait made of 99.9% naturally derived ingredients. For the control of ants in and around the home.

**Active Ingredient:** 0.3g/L Imidacloprid

**Pack Size:** 120g

---

## // Starycide®

Starycide is an insect growth regulator for the control of silverfish, immature fleas and cockroaches in indoor and outdoor situations; and for the control of mosquitoes.

**Active Ingredient:** 48g/L Triflumuron

**Pack Size:** 1L

---

## // Suspend® Flexx

Suspend Flexx is a new, innovative general insecticide from Bayer containing leading-edge patented Partix™ Formulation Technology. Scientifically-proven to maximise the active ingredient, this world-first technology allows the active (Deltamethrin) to be more readily available on surfaces and enhances the efficacy and residual effectiveness.

**Active Ingredient:** 25g/L Deltamethrin

**Pack Size:** 3L

---

## // Temprid® 75

Temprid 75 is a general insecticide that will control most insect pests; combining two powerful and effective residual insecticides: Beta-cyfluthrin and Imidacloprid to deliver greater control.

**Active Ingredients:** 25g/L Beta-cyfluthrin, 50g/L Imidacloprid

**Pack Size:** 1L & 5L



ALWAYS READ THE LABEL AND PRODUCT INFORMATION BEFORE USE

Bayer CropScience Pty. Ltd., Environmental Science Australia,  
Level 1, 8 Redfern Road, Hawthorn East, Vic. 3123  
Technical Enquiries: 1800 804 479 [es.bayer.com.au](http://es.bayer.com.au)

Aqua-K-Othrine®, Coopex®, Crackdown®, Ficom®, Maxforce®, Starycide®, Suspend® & Temprid® are registered trademarks of the Bayer Group

© 2020